

PEEL  
HERE

# CAUTION

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENTS: 125 g/L EPOXICONAZOLE

GROUP **3** FUNGICIDE

FOR THE CONTROL OF LEAF RUST, STRIPE RUST AND SEPTORIA NODORUM BLOTCH OF WHEAT AND LEAF RUST OF BARLEY, AS SPECIFIED IN THE DIRECTIONS FOR USE TABLE

**IMPORTANT: READ THIS LEAFLET BEFORE USE.**

## STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do NOT dispose of undiluted chemicals onsite.

If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or territory government regulations. DO NOT burn empty containers or product. DO NOT use empty container for any other purpose.

## SAFETY DIRECTIONS

Harmful if inhaled or swallowed. Will irritate the eyes, nose and throat and skin. Avoid contact with eyes and skin. DO NOT inhale vapours. If product on skin, immediately wash area with soap and water. Wash hands after use. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length chemical resistant gloves and half piece respirator. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a washable hat. After each day's use, wash gloves, respirator and if rubber, wash with warm water. Wash contaminated clothing.

## FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

## SAFETY DATA SHEET

For further information refer to the Safety Data Sheet which is available from the supplier.

## LIMIT OF WARRANTY AND LIABILITY

Axichem Pty Ltd warrants that this material conforms to the chemical description on the label. As the use of product sold is beyond the control of Axichem Pty Ltd, no responsibility whatsoever for any consequences is accepted in respect of this product, save those non-excludable conditions implied by any State and Federal legislation or law of a Territory. Not for repackaging or reformulations. No licence under any non-Australian patent is granted or implied by purchase of this container.

APVMA Approval No: 69445/60811

Batch Number:

Date of Manufacture:

IN A TRANSPORT EMERGENCY  
DIAL 000  
POLICE OR FIRE BRIGADE

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY  
CALL 1800 039 008  
ALL HOURS AUSTRALIA WIDE



AXICHEM PTY LTD  
A.B.N 35 131 628 594  
9 PALINGS COURT, NERANG QLD 4211  
PHONE: 07 5596 1736 www.axichem.com.au

**AxiChem**

## DIRECTIONS FOR USE

CROP	DISEASE	RATE PER HECTARE	CRITICAL COMMENTS
WHEAT	Leaf Rust ( <i>Puccinia recondita</i> ) Stripe Rust ( <i>Puccinia striiformis</i> )	500mL plus 200mL Chemwet per 100L of spray mix	Apply when conditions favour disease development and preferably prior to development of high levels of disease in the crop. Aim to apply between stem elongation and ear emergence complete (ZGS32-59). DO NOT apply later than ZGS 59.  Repeat spraying may be required for strip rust. Regularly monitor crops from 3-4 weeks after spraying for signs of re-infection and treat accordingly.
	Septoria nodorum blotch ( <i>Septoria nodorum</i> )		
Barley	Leaf rust ( <i>Puccinia hordei</i> )	250- 500mL plus 200mL Chemwet per 100L of spray mix	Apply when conditions favour disease development and preferably prior to development of high levels of disease in the crop. Aim to apply between stem elongation and ear emergence complete (ZGS32-59). DO NOT apply later than ZGS 59.  Apply the higher rate when disease is present on the top leaf or conditions are favourable for disease development at these stages of crop development.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

### WITHHOLDING PERIOD:

**DO NOT HARVEST FOR 6 WEEKS AFTER APPLICATION**

**DO NOT GRAZE OR CUT FOR STOCKFOOD FOR 6 WEEKS AFTER APPLICATION.**

### GENERAL INSTRUCTIONS

AC Epoch 125 SC Fungicide is a broad spectrum contact and systemic fungicide. It is taken up via the stem and foliage and is translocated upwards and outwards to provide protection to new growth. Thorough coverage of the crop is necessary for best results.

Check the crop regularly for any symptoms of disease infection. Apply as soon as disease is present on the flag leaf or flag-2. Application beyond flag leaf emergence may not provide yield benefit, particularly under dry seasonal conditions.

### MIXING

AC Epoch 125 SC Fungicide is a suspension concentrate formulation. Add the product to the half filled spray tank while agitating. Continue to agitate while topping up the tank and during spraying.

### APPLICATION

#### Ground Application

Apply in a water volume of between 50 and 100L/ha, using flat fan nozzle operating at around 50cm above the top of the crop. Use the higher water volume in crops with heavier canopies.

## **Aerial Application**

Apply with suitable aircraft, set up and operated to apply fungicides to cereal crops in a minimum water volume of 20L/ha.

## **COMPATIBILITY**

For information on compatibility please contact your local reseller or Axichem Pty Limited representative.

## **FUNGICIDE RESISTANCE WARNING**

<b>GROUP</b>	<b>3</b>	<b>FUNGICIDE</b>
--------------	----------	------------------

AC Epoch 125 Fungicide is a member of the DMI group of fungicides. For fungicide resistance management AC Epoch 125 Fungicide is a Group 3 fungicide. Some naturally occurring individual fungi resistant to AC Epoch 125 Fungicide and other Group 3 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled AC Epoch 125 Fungicide or other Group 3 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Axichem Pty Ltd accepts no liability for any losses that may result from the failure of AC Epoch 125 Fungicide to control resistant fungi.

## **PRECAUTIONS**

RE-entry period: DO NOT allow entry into treated areas until the spray has dried.

## **CAUTION**

### **Export of Treated Cereals**

Growers should note that Maximum Residue Limits (MRLs) or import tolerances do not exist in all markets for cereals treated with AC Epoch 125 Fungicide. Additionally, some export markets have established MRLs different to those in Australia. If you are growing cereals for export, please check with Axichem Pty Limited or your grain exporter for the latest information on MRLs and import tolerances BEFORE using AC Epoch 125 Fungicide.

### **LIVESTOCK DESTINED FOR EXPORT MARKETS**

The grazing withholding period only applied to stock slaughtered for the domestic market. Some export markets apply different standards. To meet these standards, ensure that in addition to complying with the grazing withholding period, the Export Slaughter Interval is observed before stock are sold or slaughtered.

### **EXPORT SLAUGHTER INTERVAL**

AFTER OBSERVING THE WITHHOLDING PERIOD FOR GRAZING OR CUTTING FOR STOCKFOOD, LIVESTOCK THAT HAVE BEEN GRAZED ON OR FED TREATED CROPS SHOULD BE PLACED ON CLEAN FEED FOR 3 DAYS PRIOR TO SLAUGHTER.

### **PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT**

Highly toxic to aquatic organisms. DO NOT apply under weather conditions or from spraying equipment which could be expected to cause spray drift onto adjacent crops, crop lands, livestock, pastures, wetlands, water bodies or water courses. DO NOT apply AC Epoch 125 SC Fungicide aerially if water bodies, water courses or wetlands are within 30 metres downwind of application area. DO NOT contaminate streams, rivers or waterways with the chemical or used container.

## STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do NOT dispose of undiluted chemicals onsite. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or territory government regulations. DO NOT burn empty containers or product. DO NOT use empty container for any other purpose.

## SAFETY DIRECTIONS

Harmful if inhaled or swallowed. Will irritate the eyes, nose and throat and skin. Avoid contact with eyes and skin. DO NOT inhale vapours. If product on skin, immediately wash area with soap and water. Wash hands after use. When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length chemical resistant gloves and half piece respirator. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and a washable hat. After each day's use, wash gloves, respirator and if rubber, wash with warm water. Wash contaminated clothing.

## FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

## SAFETY DATA SHEET

For further information refer to the Safety Data Sheet which is available from the supplier.

## LABEL ELEMENTS

<b>GHS Label Elements</b>	 
<b>SIGNAL WORD</b>	<b>WARNING</b>
<b>Hazard Statement(s)</b>	
<b>H315</b>	Causes skin irritation.
<b>H319</b>	Causes serious eye irritation.
<b>H351</b>	Suspected of causing cancer.
<b>H360Df</b>	May damage the unborn child, Suspected of damaging fertility.
<b>H412</b>	Harmful to aquatic life with long lasting effects.

### Precautionary statement(s) Prevention

<b>P201</b>	Obtain special instructions before use.
<b>P280</b>	Wear protective gloves, protective clothing, eye protection and face protection.
<b>P273</b>	Avoid release to the environment.
<b>P264</b>	Wash all exposed external body areas thoroughly after handling.

### Precautionary statement(s) Response

<b>P308+P313</b>	If exposed or concerned: Get medical advice/attention.
<b>P305+P351+P338</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>P337+P313</b>	If eye irritation persists: Get medical advice/attention.
<b>P302+P352</b>	IF ON SKIN: Wash with plenty of water.
<b>P332+P313</b>	If skin irritation occurs: Get medical advice/attention.
<b>P362+P364</b>	Take off contaminated clothing and wash it before reuse.

### Precautionary statement(s) Storage

<b>P405</b>	Store locked up.
-------------	------------------

### Precautionary statement(s) Disposal

<b>P501</b>	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
-------------	--

### LIMIT OF WARRANTY AND LIABILITY

Axichem Pty Ltd warrants that this material conforms to the chemical description on the label. As the use of product sold is beyond the control of Axichem Pty Ltd, no responsibility whatsoever for any consequences is accepted in respect of this product, save those non-excludable conditions implied by any State and Federal legislation or law of a Territory. Not for repacking or reformulations. No licence under any non-Australian patent is granted or implied by purchase of this container.

**IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE**

**AxiChem**

**AxiChem**

**AxiChem**