


PEEL HERE

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENTS: 25 g/L TEBUCONAZOLE
4 g/L CYPERMETHRIN

GROUP	3	FUNGICIDE	GROUP	3A	INSECTICIDE
-------	---	-----------	-------	----	-------------

For control of bunt, flag smut and loose smut of wheat. For control of covered and loose smut of barley.
For control of covered and loose smut of oats. For protection against insect pests of stored grain.

IMPORTANT: READ THIS LEAFLET BEFORE OPENING OR USING

STORAGE AND DISPOSAL

When treated seed is stored it should be kept apart from other grain. Such bags or other containers should clearly be marked to indicate the contents have been treated with AC Fend Flowable Seed Dressing. DO NOT use seed treated AC Fend Flowable Seed Dressing for human consumption. Bags which have held seed treated with this product are not to be used for any other purpose.

For Non-Refillable Containers: Store in the closed, original container in a dry, cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

For Refillable Containers: Storage must be secure so that contents cannot be tampered with. All locks and/or seals must be in order. If locks or seals are broken prior to initial use then the integrity of this product cannot be assured. If this occurs Axichem Pty Limited should be advised immediately. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with eyes. Wash hands after use.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which can be obtained from the supplier.

LIMIT OF WARRANTY AND LIABILITY

Axichem Pty Ltd warrants that this material conforms to the chemical description on the label. As the use of product sold is beyond the control of Axichem Pty Ltd, no responsibility whatsoever for any consequences is accepted in respect of this product, save those non-excludable conditions implied by any State and Federal legislation or law of a Territory. Not for repackaging or reformulations. No licence under any non-Australian patent is granted or implied by purchase of this container.

APVMA Approval No: 81961/104505

Batch Number:

Date of Manufacture:

IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE	FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY CALL 1800 039 008 ALL HOURS AUSTRALIA WIDE
--	---

AxiChem
Pty Ltd

AXICHEM PTY LTD
A.B.N 35 131 628 594
9 PALINGS COURT, NERANG QLD 4211
PHONE: 07 5596 1736 www.axichem.com.au

DIRECTIONS FOR USE

RESTRAINT: DO NOT treat physically damaged seed.

CROP	DISEASE/PEST	RATE	CRITICAL COMMENTS
Wheat	Bunt, Flag Smut (seed and soil borne), Loose Smut	100 mL/ 100 kg seed	AC Fend Flowable Seed Dressing should be mixed with water to give even coverage of seed. The quantity of water will vary depending on type of equipment and quality of seed. Use a minimum of 400 mL of mixture (ie. AC Fend Flowable Seed Dressing plus water) with each 100 kg of seed. DO NOT use more than 600 mL of mixture (product + water) with each 100 kg of seed. Whatever dilution is used it is essential that 100 mL of AC Fend Flowable Seed Dressing is applied/100 kg seed. The mixture should be gently stirred regularly. If nasal irritation occurs wear a face mask while treating seed.
Barley	Covered and Loose Smut		
Oats	Covered and Loose Smut		
Wheat, Barley, Oats	Protection against pests of stored grain: Granary Weevil, Indian Meal Moth, Lesser Grain Borer, Rice Weevil, Rust-red Flour Beetle, Sawtoothed Grain Beetle, Tropical Warehouse Moth		

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS

AC Fend Flowable Seed Dressing may delay emergence of wheat. Crops will recover rapidly in moist soil without any effect on yield.

Sowing AC Fend Flowable Seed Dressing treated wheat deeper than 50 mm may reduce plant establishment in heavier soils or soils that will crust or clod at the surface after sowing. Sowing rates may need to be adjusted accordingly.

SEED QUALITY

AC Fend Flowable Seed Dressing should not be used on seed with more than 12% moisture content, or on sprung, sprouted, damaged or severely pinched seed, or seed of poor viability. If in doubt, have a germination test carried out on the seed before treatment to ensure that it is of acceptable standard.

Treated with AC Fend Flowable Seed Dressing as directed will raise the moisture level of the seed by up to 0.6%, depending on weather conditions at treatment. The use of AC Fend Flowable Seed Dressing mixed with water at recommended rates will have no effect on the storage life of treated sound seed.

STORAGE OF TREATED SEED

Treated seed may be held over for sowing in the following season. If so, additional insecticide treatment may be necessary. If the seed is not used immediately after treatment it should be stored in a dry, well-ventilated place. Although AC Fend Flowable Seed Dressing has no effect on the viability of treated seed, subsequent germination can be adversely affected by poor storage conditions such as high moisture combined with high temperatures. No liability can therefore be accepted for the performance of stored treated seed.

CLEANING UP

Equipment should be thoroughly cleaned with water. In the event of changing from this water based flowable formulation to a solvent-based liquid formulation, it is essential to rinse equipment with methylated spirits after thoroughly cleaning with water. If changing from a solvent-based liquid to this water based flowable thoroughly clean with methylated spirits then rinse with water. Failure to do so will result in clogging of equipment.

PRECAUTION

DO NOT allow seed treated with this product to contaminate seed intended for human consumption.
If possible, use a separate auger for treating seed. If using the same auger for treating seed and moving grain for

human consumption, remove all AC Fend Flowable Seed Dressing residues from the auger to avoid contaminating untreated seed with seed dressing residues.

FUNGICIDE RESISTANCE WARNING

GROUP	3	FUNGICIDE
--------------	----------	------------------

AC Fend Flowable Seed Dressing is a Group 3 Fungicide and a member of the DMI group of fungicides. For fungicide resistance management AC Fend Flowable Seed Dressing is a Group 3 Fungicide. Some naturally occurring individual fungi resistant to AC Fend Flowable Seed Dressing and other Group 3 Fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by AC Fend Flowable Seed Dressing or other Group 3 Fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Axichem Pty Ltd accepts no liability for any losses that may result from the failure of AC Fend Flowable Seed Dressing to control resistant fungi.

INSECTICIDE RESISTANCE WARNING

GROUP	3A	INSECTICIDE
--------------	-----------	--------------------

For insecticide resistance management AC Fend Flowable Seed Dressing is a Group 3A Insecticide. Some naturally occurring insect biotypes resistant to AC Fend Flowable Seed Dressing and other group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if AC Fend Flowable Seed Dressing or other Group 3A insecticides are used repeatedly. The effectiveness of AC Fend Flowable Seed Dressing on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Axichem Pty Ltd accepts no liability for any losses that may result from the failure of AC Fend Flowable Seed Dressing to control resistant insects.

AC Fend Flowable Seed Dressing may be subject to specific resistance management strategies. For further information contact your local supplier, Axichem Pty Ltd representative or local agricultural department agronomist.

PROTECTION OF LIVESTOCK

Seed treated with this product must not be used for animal consumption, poultry feed or mixed with animal feed. DO NOT allow seed treated with this product to contaminate seed intended for animal consumption.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT feed treated seed or otherwise expose to wild or domestic birds.

Harmful to fish. DO NOT contaminate dams, rivers, ponds, waterways or drains with this product, used containers or bags which have held treated seed.

STORAGE AND DISPOSAL

When treated seed is stored it should be kept apart from other grain. Such bags or other containers should clearly be marked to indicate the contents have been treated with AC Fend Flowable Seed Dressing. DO NOT use seed treated AC Fend Flowable Seed Dressing for human consumption. Bags which have held seed treated with this product are not to be used for any other purpose.

For Non-Refillable Containers: Store in the closed, original container in a dry, cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

For Refillable Containers: Storage must be secure so that contents cannot be tampered with. All locks and/or seals must be in order. If locks or seals are broken prior to initial use then the integrity of this product cannot be assured. If

this occurs Axichem Pty Limited should be advised immediately. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with eyes. Wash hands after use.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which can be obtained from the supplier.

LABEL ELEMENTS

GHS Label Elements	Not Applicable
---------------------------	----------------

SIGNAL WORD	Warning
--------------------	----------------

Hazard Statement(s)

H412	Harmful to aquatic life with long lasting effects.
H320	Causes eye irritation.

Precautionary statement(s) Prevention

P273	Avoid release to the environment.
P264	Wash all exposed external body areas thoroughly after handling.

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

Precautionary statement(s) Storage

Not Applicable.

Precautionary statement(s) Disposal

P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
-------------	--

LIMIT OF WARRANTY AND LIABILITY

Axichem Pty Ltd warrants that this material conforms to the chemical description on the label. As the use of product sold is beyond the control of Axichem Pty Ltd, no responsibility whatsoever for any consequences is accepted in respect of this product, save those non-excludable conditions implied by any State and Federal legislation or law of a Territory. Not for repacking or reformulations. No licence under any non-Australian patent is granted or implied by purchase of this container.

* Other trademarks