


PEEL HERE

# POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



**ACTIVE CONSTITUENT: 800 g/L DIAZINON (AN ANTICHOLINESTERASE COMPOUND)**

**GROUP 1B INSECTICIDE**

THIS PRODUCT IS TOO HAZARDOUS FOR USE BY HOUSEHOLDERS

For the control of insect pests in various commercial and industrial areas as per the Directions for Use table.

**IMPORTANT: READ THIS LEAFLET BEFORE USING.**

### STORAGE AND DISPOSAL

Store below 30 °C (room temperature), in the closed, original container in a cool, well ventilated area. DO NOT use after 2 years from date of manufacture. DO NOT store for prolonged periods in direct sunlight.

Triple-rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available dispose in compliance with relevant local, state or territory government regulations.

DO NOT burn empty containers or product. For drumMUSTER containers; This container can be recycled if it is clean, free, dry of visible residues and has the drumMUSTER logo visible. Triple-rinse container for disposal.

Dispose of rinseate or any undiluted chemical according to state legislative requirements. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be taken separately. SPENT DIP

Dispose of dip in an authorised dip disposal facility. If an authorised dip disposal facility is not available, dispose of dip in compliance with the relevant local, state or territory government regulations.

### SAFETY DIRECTIONS

Product is poisonous if absorbed by skin contact or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Will irritate the eyes and skin. Avoid contact with eyes and skin. DO NOT inhale spray mist.

When preparing or using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow length chemical resistant gloves and face shield or goggles. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and face shield or goggles and contaminated clothing.

### FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone Australia 13 11 26, New Zealand 0800 764 766) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed

### SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from the supplier.

### LIMIT OF WARRANTY AND LIABILITY

Axichem Pty Ltd warrants that this material conforms to the chemical description on the label. As the use of product sold is beyond the control of Axichem Pty Ltd, no responsibility whatsoever for any consequences is accepted in respect of this product, save those non-excludable conditions implied by any state and Federal Legislation or law of a Territory. Not for repackaging or reformulations. No license under any non-Australian patent is granted or implied by purchase of this container.

APVMA Approval No: 88946/RV24

Batch No:

Date of Manufacture:

<b>IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE</b>	<b>FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY CALL 1800 039 008 ALL HOURS AUSTRALIA WIDE</b>
---	--



**AXICHEM PTY LTD**

A.B.N 35 131 628 594

9 PALINGS COURT, NERANG QLD 4211

PHONE: 07 5596 1736 www.axichem.com.au

**AxiChem**

**DIRECTIONS FOR USE****RESTRAINTS:**

DO NOT use in areas accessible to children

DO NOT spray water or feed troughs

DO NOT treat farm buildings and animal sheds by fog or spray in the presence of animals. Wait until chemical clears after treatment, then thoroughly ventilate treated area, before allowing re-entry of animals.

DO NOT treat outdoor areas if rain is expected within 24 hours

DO NOT plant treated material if heavy rains or storms are forecast within 3 days.

Crop	Pest	State	Rate per hectare diluted in water. Boom spray, Aircraft, Mister
Nursery Plants	Aphids, Thrips, Mealy Bugs, Scale Insects, Plant Bugs, Beetles	NSW, ACT, Vic, WA only	Dipping mixture: 60 mL per 100 litres

Situation	Pest	Rate		
		Sprayer	Mister	
Commercial and Industrial Buildings, Ships, Farm Buildings including Kennels, Stables and Piggeries, Refuse Areas, Garbage Containers	Cockroaches, Silverfish	6 mL per litre of water	15 mL per litre of water	
	Carpet Beetles			
	Fleas			
	Flies			
	Spiders			-
	Ants			-
Refuse Areas, Garbage Containers	Maggots	60 mL per 100 litres of water	15 mL per litre of water	
Temporary water pools (puddles)	Mosquito Larvae	125 mL per 100 litres of water	-	
Skins & hides	Skin and Hide Beetles	5 mL per litre of water	-	

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**Critical comments**

Thoroughly drench plant material with the dipping mixture.  
Treatment can be used for plants being transported from NSW into Victoria.

**Critical comments**

Apply to crevices, cracks and hiding places, eg beneath cupboards, behind sinks and stoves.

Apply to floors and under carpets.

Areas generally infested with fleas should be sprayed

Apply to surfaces on which insects congregate, eg ceilings, under eaves, walls

Remove existing webbing and saturate area with the mixture.

Apply to ant trails. Attempt to locate nests and thoroughly saturate surface. Use at least 1 litre of mixture per 10 square meters.

Apply to thoroughly penetrate the refuse.

Apply to breeding areas.

Apply 60 mL of mixture per hide individually, and spray area with 5 litres of mixture per 100 square meters.

## GENERAL INSTRUCTIONS

Before opening, carefully read directions for use, precautionary statements, safety directions, first aid instructions and attached leaflet. Thorough coverage is essential.

## MIXING

Measure out the required amount of AC Dizzy 800 Insecticide and slowly add to water in the spray tank under agitation.

## Insecticide Resistance Warning

<b>GROUP</b>	<b>1B</b>	<b>INSECTICIDE</b>
--------------	-----------	--------------------

For insecticide resistance management, AC Dizzy 800 Insecticide is a Group 1B insecticide. Some naturally occurring insect biotypes resistant to AC Dizzy 800 Insecticide and other Group 1B insecticides may exist through normal genetic variability in any insect population. Resistant individuals can eventually dominate the insect population if AC Dizzy 800 Insecticide or other Group 1B insecticides are used repeatedly. The effectiveness of AC Dizzy 800 Insecticide on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Axichem Pty Ltd accepts no liability for any losses that may result from the failure of AC Dizzy 800 Insecticide to control resistant insects.

AC Dizzy 800 Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier, Axichem representative or local agricultural department agronomist.

## PRECAUTIONS

DO NOT spray directly on to humans.

Avoid contact with food, food utensils, places where food is prepared or stored and food processing machinery. Ventilate treated rooms or buildings before reoccupying. DO NOT expose wild or domestic birds to the product.

## RE-ENTRY PERIOD

If re-entering treated areas before the spray has dried wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

## PROTECTION OF LIVESTOCK

Highly toxic to bees. However, the use of this product as directed is not expected to have adverse effects on bees.

## PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.

## **STORAGE AND DISPOSAL**

Store below 30 °C (room temperature), in the closed, original container in a cool, well ventilated area. DO NOT use after 2 years from date of manufacture. DO NOT store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available dispose in compliance with relevant local, state or territory government regulations.

DO NOT burn empty containers or product. For drumMUSTER containers;

This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple-rinse container for disposal.

Dispose of rinsate or any undiluted chemical according to state legislative requirements. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any drumMUSTER collection or similar container management program site. The cap should not be replaced, but may be taken separately.

### **SPENT DIP**

Dispose of dip in an authorised dip disposal facility. If an authorised dip disposal facility is not available, dispose of dip in compliance with the relevant local, state or territory government regulations.

## **SAFETY DIRECTIONS**

Product is poisonous if absorbed by skin contact or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Will irritate the eyes and skin. Avoid contact with eyes and skin. DO NOT inhale spray mist.

When preparing or using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow length chemical resistant gloves and face shield or goggles. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and face shield or goggles and contaminated clothing.

## **FIRST AID**

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone Australia 13 11 26, New Zealand 0800 764 766) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed

## **SAFETY DATA SHEET**

Additional information is listed in the Safety Data Sheet, which can be obtained from the supplier.

**LABEL ELEMENTS**

GHS Label Elements

**SIGNAL WORD** DANGER**Hazard Statement(s)**

- |             |   |
|-------------|---|
| <b>H227</b> | Combustible liquid.                                   |
| <b>H302</b> | Harmful if swallowed.                                 |
| <b>H311</b> | Toxic in contact with skin.                           |
| <b>H319</b> | Causes serious eye irritation.                        |
| <b>H332</b> | Harmful if inhaled.                                   |
| <b>H350</b> | May cause cancer.                                     |
| <b>H410</b> | Very toxic to aquatic life with long lasting effects. |

**Precautionary statement(s) Prevention**

- |             |  |
|-------------|--|
| <b>P201</b> | Obtain special instructions before use.  |
| <b>P210</b> | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| <b>P271</b> | Use only outdoor or in a well-ventilated area.   |
| <b>P280</b> | Wear protective gloves, protective clothing, eye protection and face protection.               |
| <b>P261</b> | Avoid breathing mist/vapours/spray.  |
| <b>P264</b> | Wash all exposed external body areas thoroughly after handling.                                |
| <b>P270</b> | Do not eat, drink or smoke when using this product.  |
| <b>P273</b> | Avoid release to the environment.  |

### Precautionary statement(s) Response

<b>P308+P313</b>	If exposed or concerned: Get medical advice/attention.
<b>P370+P378</b>	In case of fire: Use alcohol resistant foam or normal protein foam to extinguish.
<b>P302+P352</b>	IF ON SKIN: Wash with plenty of water.
<b>P305+P351+P338</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>P337+P313</b>	If eye irritation persists: Get medical advice/attention.
<b>P361+P364</b>	Take off immediately all contaminated clothing and wash it before reuse.
<b>P391</b>	Collect spillage.
<b>P301+P312</b>	IF SWALLOWED: Call a POISON CENTRE/doctor/physician/first aider if you feel unwell.
<b>P304+P340</b>	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
<b>P330</b>	Rinse mouth.

### Precautionary statement(s) Storage

<b>P403+P235</b>	Store in a well-ventilated place.
<b>P405</b>	Store locked up.

### Precautionary statement(s) Disposal

<b>P501</b>	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
-------------	--

### LIMIT OF WARRANTY AND LIABILITY

Axichem Pty Ltd warrants that this material conforms to the chemical description on the label. As the use of product sold is beyond the control of Axichem Pty Ltd, no responsibility whatsoever for any consequences is accepted in respect of this product, save those non-excludable conditions implied by any state and Federal Legislation or law of a Territory. Not for repacking or reformulations. No license under any non-Australian patent is granted or implied by purchase of this container.

**AxiChem**