

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**PEEL
HERE**



ACTIVE CONSTITUENT: 1020 g/L POLYETHER MODIFIED POLYSILOXANE

A Non-Ionic Wetter-Spreader-Penetrant for Use as a Spray Additive for Improved Coverage, Penetration and Uptake of Herbicides, Fungicides, Insecticides, Miticides and Foliar Micro-Nutrients as per the Directions for Use

IMPORTANT: READ THIS LEAFLET THOROUGHLY BEFORE USING THIS PRODUCT

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank or knapsack mix. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waster management facility. If an approved waste management facility is not available bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Avoid contact with skin and eyes. Wear overalls, rubber gloves, goggles or face shield.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. If skin contact occurs remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet (SDS), which is available from the supplier.

LIMIT OF WARRANTY AND LIABILITY

Axichem Pty Ltd warrants that this material conforms to the chemical description on the label. As the use of product sold is beyond the control of Axichem Pty Ltd, no responsibility whatsoever for any consequences is accepted in respect of this product, save those non-excludable conditions implied by any State and Federal legislation or law of a Territory. Not for repacking or reformulations. No licence under any non-Australian patent is granted or implied by purchase of this container.

APVMA Approval No: 69328/60509

Batch Number:

Date of Manufacture:

IN A TRANSPORT EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY
CALL 1800 039 008
ALL HOURS AUSTRALIA WIDE

AxiChem
Pty Ltd

AXICHEM PTY LTD
A.B.N 35 131 628 594
9 PALINGS COURT, NERANG QLD 4211
PHONE: 07 5596 1736 www.axichem.com.au

AxiChem

DIRECTIONS FOR USE

Situation	Application Method	Rate /100 L spray mixture	Critical Comments
Use with Fungicides	See pesticide label	30-60 mL	The rates for AC Saturate are given as a guide only. Always refer to the pesticide label for the rates of organosilicone penetrant. Do not use unless the manufacturer of companion pesticides specifically recommends surfactant use.
Use with Insecticides and Miticides		30-60 mL	
Use with Fungicides and Foliar Micro-Nutrients		30-60 mL	
Use with glyphosate herbicides			
Bracken, Broom, Sweet Briar	Boom or Aerial Spray	200 mL	To enhance control of these weeds, add to recommended rates of glyphosate, both liquid and dry forms. Use in accordance with herbicide label directions. Rain free Period The addition of AC Saturate will increase the rate of uptake for some herbicides and may reduce the rain free period down to 30-60 minutes when sprayed on dry foliage. The rain free period will not be reduced when treating wet plants.
Perennial Ryegrass		100 mL	
Bracken, Broom, Gorse	Handgun	200 mL	
Perennial Ryegrass		100 mL	
Bracken, Broom, Sweet Briar	Knapsack	20 mL/10 L	
Use with other Brush control herbicides			
	Broad acre spraying	100 mL	Follow directions on the herbicide label and use AC Saturate only when an organosilicone surfactant is recommended.
	Knapsack	10 mL/10 L	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS

AC Saturate Organosilicone Penetrant is a highly penetrating suitable for use with glyphosate herbicides, certain brush control herbicides, fungicides, insecticides, miticides and foliar nutrients. It improves the efficiency by enhancing the penetration and uptake into certain hard to control woody weeds such as bracken, gorse and perennial ryegrass. AC Saturate is not a general purpose surfactant and should only be used where addition of a silicone surfactant is recommended.

MIXING

Add AC Saturate Organosilicone Penetrant to spray tank after the agricultural chemical is thoroughly mixed.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, waterways or rivers with the chemical or the used containers.

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank or knapsack mix. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging for appropriate disposal to an approved waster management facility. If an approved waste management facility is not available bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Avoid contact with skin and eyes. Wear overalls, rubber gloves, goggles or face shield.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. If skin contact occurs remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet (SDS), which is available from the supplier.

LABEL ELEMENTS

GHS Label Elements	 
SIGNAL WORD	WARNING
Hazard Statement(s)	
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.
H320	Causes eye irritation.
Precautionary statement(s)	Prevention
P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing mist/vapours/spray.
P273	Avoid release to the environment.
P264	Wash all exposed external body areas thoroughly after handling.

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P391	Collect spillage.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Precautionary statement(s) Storage

Not Applicable.

Precautionary statement(s) Disposal

P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
-------------	--

LIMIT OF WARRANTY AND LIABILITY

Axichem Pty Ltd warrants that this material conforms to the chemical description on the label. As the use of product sold is beyond the control of Axichem Pty Ltd, no responsibility whatsoever for any consequences is accepted in respect of this product, save those non-excludable conditions implied by any state and Federal Legislation or law of a Territory. Not for repacking or reformulations. No license under any non-Australian patent is granted or implied by purchase of this container.