


PEEL HERE

# POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 500 g/L FLUTRIAFOL

GROUP **3** FUNGICIDE

For control of sugarcane smut and pineapple disease in  
sugarcane planting material as per the Directions for Use

**IMPORTANT: READ THIS LEAFLET THOROUGHLY BEFORE USING THIS PRODUCT**

## STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site.

If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

For refillable containers empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

Storage must be secure so that contents cannot be tampered with. All locks and/or seals must be in order. If locks or seals are broken prior to initial use then the integrity of this product cannot be assured. If this occurs Axichem Pty Ltd should be advised immediately.

## Dip Disposal

Disposal of used/excess solution should be through an authorised disposal facility. If such a facility is not available dispose of used dip solution and sludge at a rate not exceeding 20,000 L/ha over an area dedicated and bunded (soil at least 15 cm high) flat land.

## SAFETY DIRECTIONS

Harmful if swallowed. Harmful if absorbed by skin contact. Will irritate the eyes. May irritate the skin. Avoid contact with eyes and skin. When opening the container, preparing product for use and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves and face shield or goggles. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves and face shield or goggles and contaminated clothing.

## FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26; New Zealand 0800 764 766.

## SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from the supplier.

## LIMITATION OF WARRANTY AND LIABILITY

Axichem Pty Ltd warrants that this material conforms to the chemical description on the label. As the use of product sold is beyond the control of Axichem Pty Ltd, no responsibility whatsoever for any consequences is accepted in respect of this product, save those non-excludable conditions implied by any state and Federal Legislation or law of a Territory. Not for repacking or reformulations. No license under any non-Australian patent is granted or implied by purchase of this container.

APVMA Approval No: 68744/142294

Batch No:

Date of Manufacture:

IN A TRANSPORT EMERGENCY  
DIAL 000  
POLICE OR FIRE BRIGADE

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY  
CALL 1800 039 008  
ALL HOURS AUSTRALIA WIDE

**AxiChem**  
Pty Ltd

**AXICHEM PTY LTD**

A.B.N 35 131 628 594

9 PALINGS COURT, NERANG QLD 4211

PHONE: 07 5596 1736 www.axichem.com.au

**AxiChem**

**DIRECTIONS FOR USE**

Crop	Disease	Rate	Critical Comments
Sugarcane	Sugarcane Smut ( <i>Sporosorium scitamineum</i> )	50 mL/100L water	<b>Dip application</b> (for treatment of planting material to be used for production of seed cane only) For the prevention of primary infection of sugarcane smut of sugarcane planting material apply as a 5-10 minute ambient dip treatment prior to planting. The use of a non-ionic wetting agent at recommended rates will enhance coverage of the fungicide on the planting material. Cane may or may not have previously been hot water treated for disinfection from other diseases.
	Sugarcane Smut ( <i>Sporosorium scitamineum</i> ) Pineapple disease ( <i>Ceratocystis paradoxa</i> )	500 mL/ha* Or 7.5 mL/100m row	<b>Spray Application</b> For the prevention of primary infection of sugarcane smut and pineapple disease in sugarcane, apply as a spray onto the setts in the planting chute. The spray should be applied with a minimum of 4 nozzles arranged in the planting chute to give thorough coverage of all surfaces of the setts before they are planted in the furrow. Apply in a minimum water volume of 350 L/ha and calibrate the planter prior to application and planting to give the correct rate of fungicide (500 mL/ha or 7.5 mL/100 m row). The use of a non-ionic wetting agent at recommended rates will enhance coverage of the fungicide on the planting material. *The rate is based on single row cane with a 1.5m row spacing. If row spacing varies from 1.5m then apply at the use rate according to mL/100m of row.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

**WITHHOLDING PERIODS****SUGARCANE**

**Harvest:** NOT REQUIRED WHEN USED AS DIRECTED

**Grazing:** DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 32 WEEKS AFTER TREATMENT

**GENERAL INSTRUCTIONS****Sugarcane**

**Dip Application:** Half fill the dip tank with water then add the required amount of AC Floater and wetting agent at the appropriate rates while filling the tank to the correct level. Agitate while filling using either a mechanical devise or recirculating pump. Agitate between each batch of cane stalks/billets being dipped.

**Spray Application:** Half fill the spray tank with water then add the required volume of AC Floater and appropriate wetting agent with the agitator in operation. Make up to the final volume with water and continue agitation during spraying and after a stoppage.

**Re-entry or Re-handling**

Do not allow entry into treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

Do not re-handle treated sugarcane planting material unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

## FUNGICIDE RESISTANCE WARNING

<b>GROUP</b>	<b>3</b>	<b>FUNGICIDE</b>
--------------	----------	------------------

AC Floater 500 Fungicide is a member of the DMI group of fungicides. For fungicide resistance management AC Floater 500 Fungicide is a Group 3 Fungicide.

Some naturally occurring individual fungi resistant to AC Floater 500 Fungicide and other Group 3 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by AC Floater 500 Fungicide or other Group 3 fungicides, thus resulting in a reduction in efficacy and possible yield loss.

Since the occurrence of resistant fungi is difficult to detect prior to use, Axichem Pty Ltd accepts no liability for any losses that may result from the failure of AC Floater 500 Fungicide to control resistant fungi. Resistance should not be assumed without first reviewing the method of application, the coverage and the timing of application.

### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or watercourses with the chemical or used containers.

Toxic to aquatic life with long lasting effects.

### STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site.

If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

For refillable containers empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

Storage must be secure so that contents cannot be tampered with. All locks and/or seals must be in order. If locks or seals are broken prior to initial use then the integrity of this product cannot be assured. If this occurs Axichem Pty Ltd should be advised immediately.

### Dip Disposal

Disposal of used/excess solution should be through an authorised disposal facility. If such a facility is not available dispose of used dip solution and sludge at a rate not exceeding 20,000 L/ha over an area dedicated and bunded (soil at least 15 cm high) flat land.

### SAFETY DIRECTIONS

Harmful if swallowed. Harmful if absorbed by skin contact. Will irritate the eyes. May irritate the skin. Avoid contact with eyes and skin. When opening the container, preparing product for use and using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves and face shield or goggles. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves and face shield or goggles and contaminated clothing.

### FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26; New Zealand 0800 764 766.

### SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from the supplier.

**LABEL ELEMENTS****GHS Label Elements****SIGNAL WORD****DANGER****Hazard Statement(s)**

<b>H302</b>	Harmful if swallowed.
<b>H312</b>	Harmful in contact with skin.
<b>H318</b>	Causes serious eye damage.
<b>H332</b>	Harmful if inhaled.
<b>H412</b>	Harmful to aquatic life with long lasting effects.

**Precautionary statement(s) Prevention**

<b>P271</b>	Use only outdoors or in a well-ventilated area.
<b>P280</b>	Wear protective gloves, protective clothing, eye protection and face protection.
<b>P261</b>	Avoid breathing mist/vapours/spray.
<b>P270</b>	Do not eat, drink or smoke when using this product.
<b>P273</b>	Avoid release to the environment.

**Precautionary statement(s) Response**

<b>P305+P351+P338</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>P310</b>	Immediately call a POISON CENTER/doctor/physician/first aider.
<b>P301+P312</b>	IF SWALLOWED: Call a POISON CENTRE/doctor/physician/first aider if you feel unwell.
<b>P302+P352</b>	IF ON SKIN: Wash with plenty of water.
<b>P304+P340</b>	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
<b>P330</b>	Rinse mouth.
<b>P362+P364</b>	Take off contaminated clothing and wash it before reuse.

**Precautionary statement(s) Storage**

Not Applicable.

**Precautionary statement(s) Disposal**

<b>P501</b>	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
-------------	--

**LIMITATION OF WARRANTY AND LIABILITY**

Axichem Pty Ltd warrants that this material conforms to the chemical description on the label. As the use of product sold is beyond the control of Axichem Pty Ltd, no responsibility whatsoever for any consequences is accepted in respect of this product, save those non-excludable conditions implied by any state and Federal Legislation or law of a Territory. Not for repacking or reformulations. No license under any non-Australian patent is granted or implied by purchase of this container.