

PEEL
HERE

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



**ACTIVE CONSTITUENT: 250g/L AZOXYSTROBIN
125g/L EPOXICONAZOLE
125g/L TEBUCONAZOLE**

GROUP 3 FUNGICIDE

For the control of various fungal diseases in wheat and barley as specified in the Directions For Use table.

IMPORTANT: READ THIS LEAFLET BEFORE USING THIS PRODUCT

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight.

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site.

If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

For refillable containers: Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Harmful if inhaled or swallowed. Repeated exposure may cause allergic disorders. DO NOT inhale spray mist. Avoid contact with eyes and skin. When preparing spray and if applying by boom spray equipment, wear elbow-length chemical resistant gloves. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet which is available from the supplier.

LIMIT OF WARRANTY AND LIABILITY

Axichem Pty Ltd warrants that this material conforms to the chemical description on the label. As the use of product sold is beyond the control of Axichem Pty Ltd, no responsibility whatsoever for any consequences is accepted in respect of this product, save those non-excludable conditions implied by any State and Federal legislation or law of a Territory. Not for repackaging or reformulations. No licence under any non-Australian patent is granted or implied by purchase of this container.

APVMA Approval No: 82260/120279

Batch No:

Date of Manufacture:

**IN A TRANSPORT EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE**

**FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY
CALL 1800 039 008
ALL HOURS AUSTRALIA WIDE**

AxiChem
Pty Ltd

AXICHEM PTY LTD
A.B.N 35 131 628 594
9 PALINGS COURT, NERANG QLD 4211
PHONE: 07 5596 1736 www.axichem.com.au

AxiChem

DIRECTIONS FOR USE

RESTRAINTS

DO NOT apply if rain is likely to occur within 3 hours or if heavy rain is likely to occur within 48 hours.

DO NOT apply by aircraft.

DO NOT apply later than Z59 (complete ear emergence) for barley.

DO NOT apply more than 2 applications of AC Triaxe Fungicide in any one season on the same paddock.

WARNING:

DO NOT spray when conditions favour drift beyond the area intended for application. Conditions which may contribute to drift include thermal inversions, excessive wind speed, certain spray nozzle/pressure combinations, small spray droplet size, etc.

SPRAY DRIFT RESTRAINTS

DO NOT apply with spray droplets smaller than a MEDIUM spray droplet size category according to nozzle manufacturer specifications that refer to the ASAE S572 Standard or the British Crop Production Council guideline.

DO NOT apply when wind speed is less than 3 or more than 20 kilometres per hour, as measured at the application site.

DO NOT apply during surface temperature inversion conditions at the application site.

Users of this product MUST make an accurate written record of the details of each spray application within 24 hours following application, and MUST keep this record for at least 2 years. The spray application details that must be recorded are:

1. Date of start and finish times of application
2. Location address and paddock(s) sprayed
3. Full name of this product
4. Amount of product used per hectare and number of hectares applied to
5. Crop or situation and weed or pest
6. Wind speed and direction during application
7. Air temperature and relative humidity during application
8. Nozzle brand, type, spray angle, nozzle capacity and spray system pressure measured during application
9. Name and address of person applying this product

(Additional record details may be required by the state or territory where this product is used).

ALL STATES

Crop	Disease	Rate	Critical comments
Wheat	Stripe rust (<i>Puccinia striiformis</i>)	250mL/ha	Monitor crops from mid tillering. For susceptible varieties apply at the first sign of disease infection. For moderately susceptible varieties apply at flag leaf emergence if disease present. Repeat application when disease redevelops.
	Yellow leaf spot (<i>Pyrenophora tritici repentis</i>)		
Barley	Leaf scald (<i>Rhynchosporium secalis</i>)		Apply up to Z59 (complete ear emergence) only. Monitor crops from mid tillering. Apply from stem elongation to flag leaf emergence if disease is present and seasonal conditions are favourable for the disease. Repeat application when disease redevelops.
	Net form of net blotch (<i>Pyrenophora teres</i> f sp. <i>teres</i>)		Apply up to Z59 (complete ear emergence) only. Monitor crops from mid tillering. For susceptible varieties apply at the first sign of disease infection. For moderately susceptible varieties apply at flag leaf emergence if disease present. Repeat application when disease redevelops.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD:

Barley, Wheat:

GRAZING: DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 6 WEEKS AFTER APPLICATION.

HARVEST: DO NOT HARVEST FOR 6 WEEKS AFTER APPLICATION.

GENERAL INSTRUCTIONS:

AC Triaxe Fungicide is a broad spectrum contact and systemic fungicide. It is taken up by the stem and is translocated upwards and outwards to provide protection to new growth. Thorough coverage of the crop is necessary for best results.

MIXING

AC Triaxe mixes readily with water and is applied as a spray. Partly fill the spray tank with water and start agitation. Shake container vigorously then add the required amount of AC Triaxe to water in the spray tank with agitators in motion. Continue agitation while topping up the tank with water and while spraying. Use the spray mix within 24 hours of preparation.

APPLICATION

Ground Application: As a guide, apply product using a spray volume of 50-100L/ha. The use of flat fan nozzles is recommended using a medium quality spray pattern, with pressures in the range of 100 to 400kPa. Use the higher water volume in crops with heavier canopies.

FOLIAR DISEASE ON CEREAL CROPS

Check the crop regularly for symptoms of disease. Best results will be achieved from applications made in the

earliest stages of disease development. Refer to Directions for Use for particular disease recommendations. Up to two sprays of AC Triaxe Fungicide may be applied per season to the crop. Ensure good coverage of all susceptible plant parts.

COMPATIBILITY

For information on compatibility please contact your local reseller or Axichem representative.

EXPORT SLAUGHTER INTERVAL

DO NOT slaughter animals destined for export within 7 days of consumption of treated cereal forage or straw.

CAUTION:

EXPORT OF TREATED CEREALS

Growers should note that Maximum Residue Limits (MRLs) or import tolerance do not exist in all markets for cereals treated with epoxiconazole. Additionally, some export markets have established MRLs different to those in Australia. If you are growing cereals for export, please check with your grain exporter for the latest information on MRLs and import tolerances BEFORE using this product.

Note: The grazing withholding period only applies to stock slaughtered for the domestic market. Some export markets apply different standards. To meet these standards, ensure that in addition to complying with the grazing withholding period, the Export Slaughter Interval is observed before stock are sold or slaughtered.

FUNGICIDE RESISTANCE WARNING

GROUP	3	FUNGICIDE
--------------	----------	------------------

AC Triaxe Fungicide is a member of the DMI group of fungicides. For fungicide resistance management this product is a Group 3 fungicide. Some naturally occurring individual fungi resistant to this product and other Group 3 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product and other group 3 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Axichem Pty Ltd accepts no liability for any losses that result from failure of this product to control resistant fungi.

PRECAUTIONS

RE-ENTRY: DO NOT allow entry into treated areas until the spray has dried unless wearing cotton overalls (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET CROPS

DO NOT apply under weather conditions, or from spray equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers. A spray drift minimisation strategy should be employed at all times. Spray drift may occur under adverse meteorological conditions or from certain spraying equipment. DO NOT allow spray to drift onto sensitive areas including, but not limited to, susceptible plants, cropping land, pasture, natural streams, rivers, wetlands, waterways or human dwellings.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight.

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

For refillable containers: Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Harmful if inhaled or swallowed. Repeated exposure may cause allergic disorders. DO NOT inhale spray mist. Avoid contact with eyes and skin. When preparing spray and if applying by boom spray equipment, wear elbow-length chemical resistant gloves. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.


FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (Phone Australia 13 11 26).

SAFETY DATA SHEET

For further information refer to the Safety Data Sheet which is available from the supplier.

LABEL ELEMENTS

GHS Label Elements	
SIGNAL WORD	DANGER
Hazard Statement(s)	
H317	May cause an allergic skin reaction.
H320	Cause eye irritation.
H332	Harmful if inhaled.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H402	Harmful to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statement(s) Prevention

P201	Obtain special instructions before use.
P260	Do not breathe mist/vapours/spray.
P271	Use only outdoor or in a well-ventilated area.
P280	Wear protective gloves and protective clothing.
P273	Avoid release to the environment.
P264	Wash all exposed external body areas thoroughly after handling.
P272	Contaminated work clothing should not be allowed

Precautionary statement(s) Response

P308+P313	IF exposed or concerned: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER or doctor/physician/first aider/if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Precautionary statement(s) Storage

P405	Store locked up.
-------------	------------------

Precautionary statement(s) Disposal

P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
-------------	--

LIMIT OF WARRANTY AND LIABILITY

Axichem Pty Ltd warrants that this material conforms to the chemical description on the label. As the use of product sold is beyond the control of Axichem Pty Ltd, no responsibility whatsoever for any consequences is accepted in respect of this product, save those non-excludable conditions implied by any state and Federal Legislation or law of a Territory. Not for repacking or reformulations. No license under any non-Australian patent is granted or implied by purchase of this container.

AxiChem

AxiChem